



KEEP IN TOUCH



Tel & WhatsApp:
+44 07943825677



Website :
www.irriva.co.uk




E-mail :
info@irriva.co.uk

Version 2026



Drip irrigation tape, PE pipes, Fittings, Irrigation system

PRECISION DRIP TAPES SYSTEMS FOR UK GROWERS



01

DRIP IRRIGATION WITH FITTINGS

Drip tape with flat emitter in-line	02
Double color composite flat emitter drip tape	03
Labyrinth drip tape	04
Widened filter window labyrinth drip tape	05
Outer white and inner black composite labyrinth drip tape	06
Pressure compensating drip tape	07
Drip hose with cylindrical emitter in-line	08
Drip irrigation fittings	09

02

SPRAY IRRIGATION WITH FITTINGS

PE micro spray hose	16
Swing sprinkler	17
Micro-sprinkler	19
Rain gun with fittings	21
Micro-sprinkler fittings	23
On line dripper	25

03

MAIN LINE HOSE WITH FITTINGS

PE layflat hose/Pre-punched flat hose	28
PE pipes	29
Outer white inner black LDPE composite pipe	30
PE braided hose	31
PVC coated hose	32
PE pipes fittings	33
Main line fittings	35

Contents

04

PP COMPRESSION FITTINGS WITH PVC VALVES

PP compression fittings	38
PVC valves	45

05

OTHER PRODUCTS

DRIP IRRIGATION WITH FITTINGS

Drip irrigation tape - a precision irrigation and efficient water-saving product, with precise flow control as its core advantage, is the preferred choice for improving the quality and efficiency of modern agriculture. It is widely applicable to diverse planting scenarios such as fields, greenhouses, and orchards.

DRIP TAPE WITH FLAT EMITTER IN-LINE

Product features

Drip tape with flat emitter In-line is a special irrigation tool for precise, slow, even, and continuous small quantities water drops application to partial root-zone, which own advantages of saving water, combination of irrigation and fertilization, reduction of labor force, and high irrigation efficiency, etc.



Customized service

- ▶ Wrapping film packaging and heat shrink film packaging can be chosen.
- ▶ Customized laser logos and double lines can be offered.
- ▶ Special wall thickness, hole spacing and roll length can be customized according to customer requirements.
- ▶ Reinforced drip tapes can be available.



Product specifications

Dia.(mm)	Wall thickness (mm)	Spacing(cm)	Flow rate(L/h)	Working pressure (bar)	Roll length(m)
12	0.15/0.16/0.18/0.20/0.30/0.40	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	1000/ 2000/ others
16	0.15/0.16/0.18/0.20/0.30/0.40/0.50/0.60	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	
20	0.15/0.16/0.18/0.20/0.30/0.40	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	
22	0.15/0.16/0.18/0.20/0.30/0.40	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	

DOUBLE COLOR COMPOSITE FLAT EMITTER DRIP TAPE

Product features

- 1.Multi-scenario Compatibility:** Suitable for various professional scenarios such as soilless cultivation, orchard irrigation and protected horticulture, meeting the needs of different crops.
- 2.Double-layer Temperature Control:** The inner black layer blocks sunlight to prevent algae and bacteria growth; the outer layer reflects heat to reduce water temperature fluctuation, providing a stable growing environment for crop roots.
- 3.UV-resistant & Anti-aging:** Made of UV-resistant materials, it effectively extends service life and reduces replacement frequency and costs.



For specific specifications and flow rates, please refer to the drip tape with flat emitter in line.

LABYRINTH DRIP TAPE

Product features

- 1.Continuous filter flow channels** combined with wide water outlets can quickly discharge sediment and impurities. The self-filtering window of the dripper performs preliminary filtration to block large particulate impurities. With double protection, it thoroughly solves clogging problems and ensures long-term stable operation of the system.
- 2.Adopting laser punching and cutting technology**, the water outlets are uniform in size and evenly spaced. Every crop gets an equal supply of water, ensuring consistent growth and achieving dual improvement in yield and quality.




Product specifications

Dia. (mm)	Wall thickness (mm)	Spacing(cm)	Flow rate(L/h)	Working pressure (bar)	Roll length(m)
16	0.15	10-70	0.8/1.0/1.1/ 1.4/1.6/2.0/ 2.2/2.5/2.7	1.0	1000/ 2000/ others
16	0.16	10-70		1.0	
16	0.17	10-70		1.0	
16	0.18	10-70		1.0	
16	0.20	10-70		1.0	
16	0.30	10-70		1.5	
16	0.40	10-70		1.5	

WIDENED FILTER WINDOW LABYRINTH DRIP TAPE

Upgraded products



Traditional labyrinth drip tape

Product features

With a comb-like turbulent flow channel design. The water undergoes multiple impacts in the flow channel, has a certain pressure compensation effect, ensuring the stability of the water discharge flow under different water pressures. Due to the filter window and flow channel design that effectively reduces clogging, extend the service life. Suitable for various terrains and soil conditions, including open fields, greenhouses, orchards and more.

Knife punching



About 12-15mm

0.8-1.0bar

Normally close

Can be both work for shallow burial laying and soil surface laying

The working pressure requirements are strict and can prevent siphoning

Items

Punching length

Required working press.

Punching status

Using condition

Using features

Laser punching



About 8-10mm

0.6-1.0bar

Normally open

Can be both work for shallow burial laying and soil surface laying

The working pressure requirements are loose and can not prevent siphoning

For specific specifications and flow rates, please refer to the drip tape with flat emitter in line, with flow rates of: 0.70/1.00/1.30/2.30/2.60L


OUTER WHITE AND INNER BLACK COMPOSITE LABYRINTH DRIP TAPE

Product features

Based on the production process of the traditional labyrinth drip tape, it has been upgraded to an outer-white and inner-black two-color composite labyrinth drip tape. It features strong temperature-control capability, enhanced anti-aging performance, and refined application scenarios with high functional pertinence, meeting the professional needs of drip irrigation technology in various application scenarios.

NEW


For specific specifications and flow rates, please refer to the drip tape with flat emitter in line.



PRESSURE COMPENSATING DRIP TAPE

Product features

- 1.Built-in PC emitters ensure stable water output and uniform irrigation.
- 2.Features PC anti-drip function.
- 3.Suitable for long-distance laying on flat land, hilly areas and sloped land.
- 4.Reduces labor costs and investment in agricultural irrigation facilities.



Product specifications


Dia.(mm)	Wall thickness (mm)	Spacing(cm)	Flow rate(L/h)	Working pressure (bar)	Roll length(m)
16	0.40	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-1.8	700/800
16	0.60	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.0	500
16	0.80	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.2	500
16	1.00	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.5	500
20	0.80	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-1.8	500
20	0.90	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.0	500
20	1.00	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.2	500
20	1.20	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.5	500
22	0.40	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-1.8	500
22	0.60	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.0	500

DRIP HOSE WITH CYLINDRICAL EMITTER IN-LINE

Product specifications

Dia.(mm)	Wall thickness (mm)	Spacing(cm)	Flow rate(L/h)	Working pressure (bar)	Roll length(m)
6	0.80	15-100	1.2/2.0	2.0	500
16	0.60	15-100	2.0/3.0/4.0	1.0-2.0	500
16	0.70	15-100	2.0/3.0/4.0	1.0-2.0	500
16	0.80	15-100	2.0/3.0/4.0	1.2-2.5	500
16	0.90	15-100	2.0/3.0/4.0	1.2-2.5	500
16	1.00	15-100	2.0/3.0/4.0	1.5-3.0	500
16	1.10	15-100	2.0/3.0/4.0	1.5-3.0	500
16	1.20	15-100	2.0/3.0/4.0	1.5-3.0	500
20	1.0-1.2	15-100	2.0/3.0/4.0	2.0	500

Product features



1. Wide maze flow channel + large-area water inlet filter, less prone to clogging.

2.The embedded dripper is not prone to falling off, and is resistant to trampling and agricultural machinery rolling.

3.It has strong adaptability in laying, suitable for both surface laying and underground laying, and is applicable to long-distance laying in mountainous areas, orchards, green-houses, fields, etc.

ACCESSORIES SERIES

The drip tape fitting series includes mini valves, lock nut fittings, pull ring fittings and more. It is compatible with the connection and control of various drip tapes, and widely used in agricultural irrigation, orchards, greenhouses, vegetable greenhouses, soilless cultivation and other scenarios.

COUPLINGS

Lock nut fittings (PP)

Drip tape fitting barbed coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011703A	17*16	1100	54*36*29
3012007A	16*20	1000	46*41*37
3012007B	20*20	800	46*41*37
3011609A	16*16	1200	46*41*37

Lock coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011600A	16	1200	47*36*41
3012000A	20	600	47*36*41
3011700A	17	800	54*36*29

Male lock elbow



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3071601A	16*1/2"	1400	47*36*54
3071701A	17*1/2"	800	54*36*29
3071701B	17*3/4"	700	54*36*29

Male thread lock offtake



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011603A	16*1/2"	1600	47*36*41
3011608A	16*3/4"	1400	47*36*41
3012003A	20*1/2"	1000	47*36*54
3011705A	17*1/2"	1100	54*36*29
3011705B	17*3/4"	1000	54*36*29

Lock offtake



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011605B	16*12	1800	47*36*41
3011702A	17*12	1000	54*36*29

Female lock offtake



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011607A	16*3/4"	700	47*36*54
3011706A	17*1/2"	900	54*36*29
3011706B	17*3/4"	800	54*36*29

Lock offtake



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011606D	16*13	1200	47*36*54
3012006A	20*16	800	47*36*54
3011701A	17*12	1100	54*36*29

Lock elbow



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3071600A	16	1300	47*36*54
3072000A	20	700	47*36*54
3071700A	17	600	54*36*29

COUPLINGS

Lock nut fittings (PP)

Male lock tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3041601A	16*1/2"	800	47*36*54
3042001A	20*1/2"	450	47*36*54
3041702A	17*1/2"	400	54*36*29
3041702B	17*3/4"	400	54*36*29

Lock tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3041605A	16	800	47*36*54
3042005A	20	450	47*36*54
3041700A	17	350	54*36*29

Offtake for soft layflat hose



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011604A	16	1000	47*36*54
3012004A	20	800	47*36*54
3011704D	17	800	54*36*29

Press button type tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3041704A	17*8	500	54*36*29

Layflat hose tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3041603A	16	500	47*36*54
3042003A	20	350	47*36*54
3041706A	17	300	54*36*29

Lock end cap



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3101600A	16	1800	47*36*41
3102000A	20	1600	47*36*54
3101701A	17	1300	54*36*29

Lock offtake for soft layflat hose



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3011604C	16	1400	47*36*54

Lock tee for soft layflat hose



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3041602A	16	1100	47*36*54

COUPLINGS

Lock ring fittings (PP)

Male lock ring elbow



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3091600A	16*1/2"	1500	47*36*54

Male thread lock ring tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3061600A	16*1/2"	1300	47*36*54

Lock ring tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3061601A	16	1100	47*36*54

Lock ring coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3031600A	16	2000	47*36*54

Lock ring offtake



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3031602A	16*12	2800	47*36*54

Lock ring end cap



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3121600A	16	3200	47*36*41

Lock ring coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3031601A	16	2400	47*36*54

Lock ring coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3031600C	15	6000	120*70*25

MINI VALVES

Mini valves POM

Positioning bypass valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131609A	16*12	600	47*36*41

Offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131603A	16	520	47*36*54

Double-lock valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131602A	16	500	47*36*41
3132002A	20	400	47*36*41

Offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131601A	16*12	750	47*36*41
3132001A	16*20	500	47*36*41

Single-lock female straight-through valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131605A	16*16	700	47*36*41
3132005A	16*20	600	47*36*41

Male locknut bypass valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131610A	16*1/2"	600	47*36*41
3131610B	16*3/4"	600	47*36*41
3132010A	20*1/2"	500	47*36*41
3132010B	20*3/4"	500	47*36*41

Straightway valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3141601A	16*16	750	47*36*41
3142001A	20*20	700	47*36*54
3142501A	25*25	650	47*36*54
3143201A	32*32	200	50*34*39

Offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3141605A	16*1/2"	700	47*36*41
3141605B	16*3/4"	700	47*36*41
3142004A	20*1/2"	700	47*36*41
3142004B	20*3/4"	650	47*36*41
3142504A	25*3/4"	650	47*36*54

MINI VALVES

Mini valves PP

Single-lock female straight-through valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3132005E	16*16	500	45*35*35

Positioning bypass valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131609E	16*12	600	50*40*38

Straightway valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131602D	16*16	500	54*38*33

Offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131601B	16*12	600	50*40*38
3131602B	16*14	500	50*40*38

Male straight way valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3131606A	16*1/2"	500	45*35*35
3131606B	16*3/4"	500	45*35*35

Barb bypass valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3141606E	16*12	500	45*35*35
3142506B	20*25	500	54*38*33

Offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(m)
3141605C	16*1/2"	500	45*35*35
3141605D	16*3/4"	500	45*35*35
3142005C	20*1/2"	500	45*35*35
3142005D	20*3/4"	500	45*35*35
3142505B	25*1/2"	500	54*38*33
3142505C	25*3/4"	500	54*38*33

Straightway valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3141601C	16*16	500	45*35*29
3142001C	20*20	500	45*35*35
3142501B	25*25	500	54*38*33

SPRAY IRRIGATION WITH FITTINGS

Sprinkler irrigation products are suitable for various agricultural scenarios such as field crop irrigation, orchard irrigation and vegetable greenhouse irrigation. They feature large coverage, uniform water distribution, water saving and labor saving.

PE MICRO SPRAY HOSE



Product specifications

Dia. (mm)	Width (mm)	Thickness (mm)	Holes punched Qty/Set	Holes spacing (cm)	Spray width (m)	Working pressure (bar)	Roll length (m)	MOQ. (roll)
16	25	0.15-0.20	2/3/5	10/15/20/30	1.0-1.5	0.3-0.5	100/200	500
20	32	0.16-0.25	3/5	10/15/20/30	1.2-1.6	0.3-0.8	100/200	500
25	40	0.16-0.40	3/5	10/15/20/30	1.5-2.5	0.3-0.8	100/200	500
28	45	0.16-0.40	3/5/7	10/15/20/30	2.5-3.5	0.3-0.8	100/200	300
32	50	0.20-0.40	3/5/7	10/15/20/30	2.5-4.0	0.3-0.8	100/200	300
40	63	0.20-0.40	5/7	10/15/20/30	3.0-5.0	0.3-0.8	100/200	300
50	80	0.30-0.50	5/7	10/15/20/30	5.0-9.0	0.5-1.0	100/200	200
63	100	0.30-0.50	7/9	10/15/20/30	6.0-10.0	0.5-1.0	100/200	100
75	120	0.30-0.50	7/9	10/15/20/30	7.0-11.0	0.5-1.0	100/150	100

Thickness, number of holes, spacing and length can all be customized.

SWING ARM SPRINKLER

Full-circle rocker arm sprinkler head(POM)



No.	Interface size	Pressure(bar)	Range radius(m)	Flow rate(m³/h)	Packing(pcs/ctn)	Carton size(m)
63120001	G1/2"	1-2	10-11	0.8-1	250	45*35*28
63120002	G1/2"	1-2	10-11	0.8-1	250	45*35*28
63120003	G1/2"	1.5-4.0	9-13	0.5-1.75	200	45*35*28
63120006	G3/4"	2.5-5.0	10-11	0.7-3	100	45*35*28
63125009	G3/4"	2.5-5.0	13-19	0.7-3	100	45*35*28



No.	Interface size	Pressure(bar)	Range radius(m)	Flow rate(m³/h)	Packing(pcs/ctn)	Carton size(m)
63132008	G1"	2.0-5.0	18-25	4.5-12.5	50	58*42*33
63120010	G1/2"	1.5-3	8-12	0.8-1.35	300	61*41*45
63120012	G1/2"	1.5-3	10-11	0.9-1.3	150	45*35*32
63125015	G1"	2.0-5.0	18-25	2.5-7.0	50	45*35*32
63125027	G1",3/4"	2.0-5.5	12-19	0.8-3.25	50	45*35*36.5



No.	Interface size	Pressure(bar)	Range radius(m)	Flow rate(m³/h)	Packing(pcs/ctn)	Carton size(m)
63125013	G3/4"	0.5-3.0	8-15	0.6-3	100	45*35*24
63125014	G3/4"	0.5-3.0	8-15	0.7-3	100	45*35*28
63125015	G3/4"	2.0-3.0	8-15	3-1.19	100	45*35*24
63125016	G3/4"	2.0-3.0	8-15	0.3-1.19	100	36*36*31
63125017	G3/4"	0.5-3.0	8-15	0.6-3.0	100	36*36*31

SWING ARM SPRINKLER

Adjustable rocker arm sprayer



No.	Interface size	Pressure(bar)	Range radius(m)	Flow rate(m³/h)	Packing(pcs/ctn)	Carton size(m)
63120005	G1/2"	1.5-4.0	12-18	0.3-1.3	250	45*35*28
63132013	G1"	2.0-5.0	18-25	2.5-7.0	50	45*35*39.5
63150002	G3/4"	2.0-6.0	20-36	9.12-31.98	20	40*33*38.5


Mega nozzle(PP)



No.	Interface size	Pressure(bar)	Range radius(m)	Flow rate(m³/h)	Packing(pcs/ctn)	Carton size(m)
63120016	G1/2"	2.0-3.0	5.0-7.0	0.8-1	250	45*35*28
63120017	G3/4"	2.0-3.0	7.0-8.5	0.8-1	250	45*35*28
63125031	G3/4"	2.0-3.0	7.0-8.5	0.5-1.75	200	45*35*28



MICRO-SPRINKLER



No.	Product name	Interface size	Spray angle	Spray radius(m)	Work. Press. (bar)	Flow rate(L/h)	MOQ(pcs)
1905001	Micro sprinkler mist	6mm/7.5mm	360°	2-3	1.5-2	80-120	5000
1905011	Micro sprinkler mist	7.5mm	180°	3-5	2-3	120-200	5000
1905015	Micro sprinkler mist	6mm/7.5mm	360°	0.6-2	1-2	80-100	5000
1908006B	Medium-range butterfly sprinkler	1/2"	360°	5-6	1-3	300-450	1500
1908020	Medium-range sprinkler	1/2"	360°	2.5-4	2-4	800-1200	500
1908037	Medium-range sprinkler	1/2"	360°	6.5	3	600	500
1906029	Square refraction atomizing sprinkler	6mm/7.5mm	360°	2	1-3	0-30	2500
1906030	Square refraction atomizing sprinkler	6mm/7.5mm	360°	0.5-1.5	1.5-3	80-100	2500
1908002	Medium-range sprinkler	1/2"&3/4"	360°	6-7	1-3	500-800	1000
1908003	Medium-range sprinkler	1/2"&3/4"	360°	3-5.5	1.5-2.5	500-800	1000
1908027	Medium-range sprinkler	1/2"	360°	3-6	1-2.5	800-1300	1000
1908017	Kaka sprinkler	1/2"	360°	4-5	2-4	0-380	300

MICRO-SPRINKLER



No.	Product name	Interface size	Spray angle	Spray radius(m)	Work. Press. (bar)	Flow rate(L/h)	MOQ(pcs)
1908005B	Medium-range butterfly sprinkler	1/2" 3/4"	360°	7-8	1-3	760-1100	150
1908014	Waterbird rotating sprinkler	1/2"	360°	10	2-3.5	500-700	240
1908029	Mosquito repellent spray sprinkler	1/2"	360°	3.5-4	2-4	200-320	1000
1908012	Flywheel sprinkler	1/2"	360°	10	5-5.5	230-250	2000
1908013	Desktop medium-range micro sprinkler	1/2"	360°	3-6	1.5-3	140-750	5000
1906014A	Micro sprinkler	6mm/7.5mm	360°	1-2	1.5-3	90-130	2000
1906036A/B	90°/180° fruit tree sprinkler	4mm	90°/180°	0.5-1.3	1.5-3	40-60	3000
1906036C	360° fruit tree sprinkler	4mm	360°	0.5-1.3	1.5-3	40-60	3000
1906031	Cross-type atomizing sprinkler	6mm	360°	1.5-3	1.5-3	35-40	2500
1906040	Cross-type atomizing sprinkler	6mm	360°	1-1.5	1-1.5	100-160	2500
1906002	Atomizing sprinkler	6mm	360°	0.3-0.4	1-2.5	0-20	5000
1906010	Atomizing sprinkler	6mm	360°	0.5-0.8	1.5-3	7-20	5000

RAIN GUN WITH FITTINGS



RAIN GUN WITH FITTINGS

No.	Product Name	Interface Size	Nozzle Dia.(mm)	Work. Press.(mpa)	Flow(m³/h)	Spray Rad.(m)
6212501A	Metal swing arm nozzle	3/4"	5.0*3.0	0.2-0.3	2-3	10-15
6213202B	Metal swing arm nozzle	1"	6.5*3.0	0.2-0.3	2-3.6	15-19
6213201A	Medium/short-range swing arm nozzles	1"	5-6-7-9	0.15-0.4	2-6.5	12-19
6214001A	Medium/short-range swing arm nozzles	1-1/4"	8-9-10-12-14	0.15-0.5	3.7-18.6	16-29
6215002B	Medium/short-range swing arm nozzles	1.5"	8-10-12-14-16	0.15-0.5	5-25	26-29
6215001	Copper/aluminum core spray gun	1.5"	10*6	0.2-0.45	7-9	20-25
6216301	Copper/aluminum core spray gun	2"	14*6	0.3-0.5	15-20	22-27
6217501	Copper/aluminum core spray gun	2.5"	20*6	0.3-0.5	30-35	30-40
621W60ADJ	Dual-nozzle turbo spray gun	2"	5.0*3.0	0.2-0.7	19-99.6	22-51
621W60ADJ-PRO	Dual-nozzle turbo spray gun	2"	6.5*3.0	0.2-0.7	27.5-109.6	23-51
6216304C	Turbine spray gun	1.5"	12-14-16-18-20-22	0.2-0.5	10-37	22-41
6216305A	Adjustable atomization effect spray gun(UP)	2"	10-12-14-16-18-20-22-24	0.2-0.7	18-75	26-53
6216302A	Adjustable turbine spray gun	1.5"	10-12-14-16-18-20-22-24	0.2-0.7	9-53	19-53
6216302B	Adjustable turbine spray gun	1.5"	10-12-14-16-18-20-22-24	0.2-0.7	9-53	19-53
6216303A	Adjustable turbine spray gun	2"	10-12-14-16-18-20-22-24	0.2-0.7	6.5-50	19-48
6216303B	Adjustable turbine spray gun	2"	10-12-14-16-18-20-22-24	0.2-0.7	6.5-50	19-48
6225001A	Medium/short-range spray gun	1.5"	10-12-14-16-18	0.2-0.6	5-25	18-36

Triangular bracket

No.	Pole height(m)	Interface Size
For all spray guns		
6213291A	1.2	1.5"/2"/2.5"
6217592A	1.5	1.5"/2"/2.5"
For internal thread spray gun		
6213290A/B	1.2/1.5	1"
6212590A/B/C	1/1.2/1.5/2/3	3/4"
For all spray guns		
6217593A/B/C	1.2/1.5/2	-

MICRO-SPRAYING FITTINGS

Micro spray valve series

Hard pipe bypass valve



No.	Dia.(mm)	Packing(pcs/ctn)
5102803B	28	800

Lock offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)
5102201	22	1500
5102801	28	600

Lock ring offtake valve



No.	Dia.(mm)	Packing(pcs/ctn)
5102802	28	800
5103202	32	600
5104002	40	350

Three-way valve



No.	Dia.(mm)	Packing(pcs/ctn)
50305008A	50*32	250
50305008B	50*40	200

Four-way valve



No.	Dia.(mm)	Packing(pcs/ctn)
50405014A	50*28	180
50405014B	50*40	120
50406314A	63*28	120
50406314B	63*40	100
50407514A	75*28	100
50407514B	75*40	80

Agricultural bypass ball valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size (cm)
5102006	20	250	125*30*22
5102506	25	200	125*30*22
5103206	32	150	125*30*22

Agricultural bypass ball valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size (cm)
5102005	20	250	125*30*22
5102505	25	200	125*30*22

Agricultural bypass ball valve



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size (cm)
5102004	20	250	125*30*22
5102504	25	200	125*30*22

MICRO-SPRAYING FITTINGS

Micro sprinkler irrigation accessories series

Elbow



No.	Dia.(mm)	Packing(pcs/ctn)
5102803B	50	300

Four-way connector



No.	Dia.(mm)	Packing(pcs/ctn)
50405017A	50*40	240

End cap



No.	Dia.(mm)	Packing(pcs/ctn)
50502501	25	750
50503201	32	500
50504001	40	370
50504501	45	260
50505001	50	200

Three-way connector



No.	Dia.(mm)	Packing(pcs/ctn)
50305017A	50*40	300
50305018	50	250
50305019	50	200

Lock ring coupling



No.	Dia.(mm)	Packing(pcs/ctn)
50102805	28	2000
50103205	32	1400
50104005	40	1000
50105005	50	500
50102501	25	400
50103201	32	300
50104001	40	200
50104501	45	140
50105001	50	100

Male thread connector



No.	Dia.(mm)	Packing(pcs/ctn)
50602501	25*1"	450
50603202	32*1"	400
50603201	32*1-1/4"	280
50603202	32*1-1/2"	280
50604002	40*1-1/4"	200
50604501	40*1-1/2"	200
50604502	45*1-1/4"	200
50604503	45*1-1/2"	180
50604504	45*2"	150
50605001	50*1-1/4"	160
50605002	50*1-1/2"	160
50605003	50*2"	120

ON LINE DRIPPER

Dripper

Double-hook pressure-compensated dripper

Pressure compensation range:0.5-4bar



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1902031	2	10000	54*36*22
1904031	4	10000	54*36*22
1908031	8	10000	54*36*22

Flat-bottom drip-proof dripper

Pressure compensation range:0.5-4bar



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1900218	2/4/8/16/20/25	10000	54*35*28

Adjustable dripper



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1906001	0-260	10000	45*40*30

Flag-type dripper



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1900403	2/4/8/16	10000	46*35*40

Pressure-compensated dripper

Pressure compensation range:0.5-4bar



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1900202	2	5000	46*35*40
1900402	4	5000	46*35*40
1900800	8	5000	46*35*40

Little red riding hood dripper



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1908006B	0-80	10000	46*35*36

Bubbler dripper



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1909007A	0-90	10000	46*35*40

Button dripper



No.	Flow rate(L/h)	Packing(pcs/ctn)	Carton size (cm)
1900414	2/4	50000	45*40*32

ON LINE DRIPPER

Micro-spray accessories

No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
1902020	3/5	50000	55*36*43
1904020	3/5	30000	55*40*46
1904021	3/5 4/7	50000	50*38*48



1902020



1904020



1904021

Arrow dripper & Arrow dripper kits



1903021C



1914523



1903521B



1903021D



1903021A

No.	Height(cm)	Working pressure(bar)	Packing(pcs/ctn)	Carton size(cm)
1903021C	13	0.3-2.5	5000	60*45*52
1914523	14.5	0.3-2.5	10000	60*45*53
1903521B	15	0.3-2.5	4000	60*45*54
1903021D	15.1	0.3-2.5	5000	60*45*55
1903021A	15.5	0.3-2.5	5000	47*47*35

Arrow dripper-one way kits



Arrow dripper-two way kits



Arrow dripper-four way kits



No.	Product description	Length(cm)	Packing(pcs/ctn)	Carton size(cm)
1905025A	Arrow dripper-one way kits	50*1	2200	54*35*29
1905025C	Arrow dripper-two way kits	50*2	1200	54*35*29
1905025E	Arrow dripper-four way kits	50*4	500	54*35*29

MAIN LINE WITH FITTINGS

The main hose is used to connect the water source with drip tapes or spray irrigation tapes, serving as the main water delivery pipeline of the irrigation system. It is suitable for a variety of agricultural scenarios such as field crops, orchards, vegetable greenhouses and greenhouses, featuring stable water delivery, easy laying and strong compatibility.

PE LAYFLAT HOSE/ PRE-PUNCHED FLAT HOSE

Product features

1. Made of flexible material with stable pressure resistance and long service life.
2. PE layflat hose is suitable for surface laying in farm fields, featuring simple layout, easy installation and time-saving operation.
3. Connected with special fittings and clamp-type fasteners, it has excellent sealing performance with firm installation and anti-falloff property.
4. Pre-punched holes with customizable spacing, compatible with snap-on tees, lock-nut pull-ring tees, for direct connection with drip tapes.



PE layflat hose specifications

Dia. (mm)	Width (mm)	Thickness (mm)	Working pressure (bar)	Roll length (m)	Unit G.W. (kg)	MOQ. (roll)	Roll size (cm)
50	80	0.50	1-2	100	7.2	300	40*40*24
50	80	0.70	1-2	100	11.6	200	50*50*10
63	100	0.50	1-2	100	9.1	200	40*40*30
63	100	0.80	1-2	100	14.6	200	55*55*12
75	120	1.00	2-3	100	21.7	100	65*65*16
75	120	1.20	2-3	100	26	100	75*75*16
90	140	1.00	2-3	100	27.7	100	75*75*14
90	140	1.20	2-3	100	26	100	65*65*18
110	180	1.40	2-3	100	38.1	100	75*75*20

All data shall be subject to actual conditions in case of any changes.

Pre-punched flat hose specification

Dia. (mm)	Thickness (mm)	Customizable spacing(m)	Customizable bore diameter (mm)	Working pressure (bar)	Customizable roll length (m)
63	0.60-1.20	0.4~4	3/4/8/10/12/16	1-2	50-200
75				1-2	
90				1-2	

All data shall be subject to actual conditions in case of any changes.

PE PIPES



Product specifications

Dia.(mm)	Thickness(mm)	Roll length(m)	MOQ.(m)	Roll size(cm)	Unit G.W.(kg)
16	1.0	500	50,000	80*80*37	23
16	1.2	500	50,000	80*80*37	28
16	1.5	500	50,000	80*80*37	35
18	1.2	300	50,000	80*80*35	18.9
18	1.4	300	50,000	80*80*35	22.1
20	1.2	200	50,000	80*80*30	14
20	1.4	200	50,000	80*80*30	17
20	1.5	200	50,000	80*80*30	18
25	1.8	200	50,000	80*80*30	26.5

All data shall be subject to actual conditions in case of any changes.

OUTER WHITE INNER BLACK LDPE COMPOSITE PIPE

It is made mainly of low-density polyethylene (LDPE) resin, formed by co-extrusion molding of an outer white layer and an inner black layer, with the two layers closely combined.



- 1.Double-layer Temperature Control: The white-outer and black-inner structure precisely regulates water temperature to avoid root damage caused by high temperature.
- 2.Uniform Water & Fertilizer Delivery: Smooth inner wall with low resistance ensures synchronous and even supply of water and fertilizer to each crop.
- 3.UV-resistant & Anti-aging: Double-layer anti-UV formula delivers long service life and low maintenance costs.

Product specifications

Dia.(mm)	Thickness(mm)	Roll length(m)	MOQ.(m)	Roll size(cm)	Unit G.W.(kg)
5	1.0	1200	50,000	50*50*22	13.25
7	1.5	1000	50,000	45*45*30	22
16	1.2	500	50,000	84*84*34	28
20	1.4	200	50,000	70*70*30	18.4
25	1.8	200	50,000	70*70*30	26.5

All data shall be subject to actual conditions in case of any changes.

PE BRAIDED HOSE

Product features

- 1.It is light in weight, flexible, convenient to carry, lay and roll up.
- 2.The surface is more wear-resistant, extending its service life.
- 3.It is not prone to deformation and is not likely to twist, expand or contract within the normal operating pressure range, ensuring smooth water flow.
- 4.It has strong pressure resistance, capable of withstanding a pressure of 16 to 25bar, which can meet the demands of high-pressure water transmission and long-distance irrigation, and is not prone to cracking or leakage.



Product specifications

Size	Width(cm)	Dia.(mm)	Working pressure(bar)	Breaking pressure(bar)	Roll length(m)
1"	4	25	10	30	50-100
1.5"	6	40	9	27	50-100
2"	8	50	8	24	50-100
2.5"	10	65	7.5	22.5	50-100
3"	12	80	7.5	22.5	50-100
3.5"	14	95	6.5	19.5	50-100
4"	16	100	6	18	50-100
4.5"	18	115	6	18	50-100
5"	20	125	5	15	50-100
5.5"	22	138	5	15	50-100
6"	24	150	4	12	50-100
6.5"	26	162	4	12	50-100
7"	28	175	3	9	50-100
8"	32	200	2.5	8	50-100
10"	40	250	2	6	50-100
12"	48	300	1	3	50-100

All data shall be subject to actual conditions in case of any changes.

PVC COATED HOSE

Product features



Made of high-quality polyester yarn with double-sided plastic-coating technology, it features exquisite craftsmanship, wear resistance and durability, neat joints, no damage and superior quality.

Product specifications

Size	Thickness(mm)	Dia.(mm)	Working pressure(bar)	Breaking pressure(bar)	Roll length(m)
1"	1.1-1.3	25	4-6	12-18	50-100
1.5"	1.1-1.3	38	4-6	12-18	50-100
2"	1.0-1.8	50	3-10	12-18	50-100
2.5"	1.0-1.8	63	3-10	12-18	50-100
3"	1.0-1.8	75	3-10	12-18	50-100
3.5"	1.0-1.8	90	3-10	12-18	50-100
4"	1.0-1.8	100	3-8	12-18	50-100
4.5"	1.0-1.5	110	3-6	12-18	50-100
5"	1.1-1.5	130	3-5	12-15	50-100
6"	1.1-1.5	150	3-4	4-6	50-100
8"	2-3.2	200	3-4	4-6	50-100

All data shall be subject to actual conditions in case of any changes.

PE PIPE FITTINGS

PE pipe fittings (PP)

Reducing coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3022004A	20*16	1200	54*35*28

Barb tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3051600A	16	3000	54*46*48
3052000A	20	1600	54*46*48
3052500A	25	1200	54*46*48

Barb coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3021601A	16	2500	54*35*28
3022001A	20	6000	54*46*50
3022501A	25	700	54*35*28
3023201A	32	500	54*35*28

External thread coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3021600A/B	16*1/2" 16*3/4"	1800	54*35*28
3022000A/B	20*1/2" 20*3/4"	1200	54*35*28
3022500A/B	25*3/4" 25*1/2"	1000	54*35*28

Barb offtake



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3021602B	16*13	3200	54*35*28
3022002A	20*16	1500	54*35*28

Barb end



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3111600A	16	3800	54*35*28
3112000A	20	1800	54*35*28
3112500A	25	1100	54*35*28

Barb elbow



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3081200A	12	5000	54*35*28
3081600A	16	2000	54*35*28
3082000A	20	1100	54*35*28
3082500A	25	700	54*35*28

External threaded three-way tee



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3051601B	16*1/2""16	2500	54*46*48
3051601C	16*3/4""16	2000	54*46*48
3052001A	20*1/2""20	1400	54*46*48
3052001B	20*3/4""20	1100	54*46*48
3052501A	25*3/4""25	700	54*46*48

PE PIPE FITTINGS

PE pipe fittings (PP)

Internal thread coupling



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3021603A/B	16*1/2" 16*3/4"	1000	54*36*29
3022003C/D	20*1/2" 20*3/4"	800	54*36*29

Plastic clip



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3161200A	12	3200	42*38*21
3161600A	16	3200	42*38*21
3162000A	20	2000	42*38*21
3162500A	25	3200	54*35*28

External threaded elbow



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3082001A/B	16*1/2" 20*1/2"	1500	54*36*29
3082501A/B	16*3/4" 20*3/4"	1400	54*36*29

Folding plug



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
3111201A	12	5800	54*35*28
3111601A	16	4000	54*35*28
3112001A	20	1800	54*35*28
3112501A	25	1200	54*35*28

PE pipe fittings (POM)

Product name	No.	Dia.(mm)	Packing(pcs)	Carton size(cm)	Product name	No.	Dia.(mm)	Packing(pcs)	Carton size(cm)
Barb coupling	3021701A	17	3000	54*35*28	Barb coupling	3021703A	17*1/2"	2000	54*35*28
					Barb coupling	3021703B	17*3/4"	1200	54*35*28
Barb tee	3051700A	17*1/2"	1350	54*35*28	Barb tee	3051701A	17*1/2"	1300	54*35*28
					Barb tee	3051701B	17*3/4"	1000	54*35*28
Barb elbow	3081700A	17	2200	54*35*28	Y shape tee	3051702A	17*3/4"	700	54*35*28
Barb elbow	3081701A	17*1/2"	2000	54*35*28	Rubber ring	3171200A	12	8500	54*35*28
	3081701B	17*3/4"	1500	54*35*28	Rubber ring	3171600A	16	6000	54*35*28
					Rubber ring	3172000A	20	6000	54*35*28
					Rubber ring	3172500A	25	2000	54*35*28

MAIN LINE FITTINGS

Hose fittings

Barb elbow



No.	Dia.(mm)	Packing(pcs/ctn)
50205003	50	700
50206303	63	450
50207503	75	240
50209003	90	150
50210003	100	100
50211003	110	90

Barb tee



No.	Dia.(mm)	Packing(pcs/ctn)
50303205	32	1300
50305005	50	350
50306305	63	200
50307505	75	120
50309005	90	90
50310005	100	55
50311005	110	55

Barb coupling



No.	Dia.(mm)	Packing(pcs/ctn)
50103201A	32	1800
50105001A	50	700
50106301A	63	400
50107501A	75	280
50109001A	90	200
50110001A	100	150
50111001A	110	130

Barb end



No.	Dia.(mm)	Packing(pcs/ctn)
50503202	32	1200
50504002	40	1000
50505002	50	800
50506302	63	500
50507502	75	320
50509002	90	200
50510002	100	120
50511002	110	120

External threaded four-way tee



No.	Dia.(mm)	Packing(pcs/ctn)
50406306	63	200
50407506	75	140
50409006	90	100
50410006	100	80
50411006	110	50

External threaded three-way tee



No.	Dia.(mm)	Packing(pcs/ctn)
50303212	32	1300
50305012	50	350
50306312	63	200
50307512	75	120
50309012	90	90
50310012	100	55
50311012	110	55

External threaded coupling



No.	Dia.(mm)	Packing(pcs/ctn)
50103206	32	1800
50105006	50	700
50106306	63	400
50107506	75	280
50109006	90	200
50110006	100	150
50111006	110	130

Reducing external threaded three-way tee



No.	Dia.(mm)	Packing(pcs/ctn)
50305005A	50*32	500
50306305A	63*50	200
50306305B	63*32	200
50307505A	75*63	120
50307505B	75*32	120
50309005A	90*75	55
50309005B	90*63	55
50311005A	110*90	55
50311005B	110*75	55
50311005C	110*63	55

MAIN LINE FITTINGS

Irrigation valve (PP)

High-flow sand control three-way valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1505065	50	90	56*45*55
1506365	63	60	66*46*53
1507565	75	48	71*44*59
1509065	90	18	57*38*49
1510065	100	18	65*45*55

Female thread agricultural valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1506366	63	50	65*36*29
1507566	75	40	60*47*34
1509066	90	24	74*33*39

Straight-through valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1505064	50	80	63*52*44
1506364	63	48	63*50*52
1507564B	75	30	82*37*44
1509064	90	18	63*48*49
1510064	100	12	70*50*36
1511064	110	12	71*50*37

Female thread agricultural valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1506367	63	50	65*36*29
1507567	75	40	60*47*34
1509067	90	24	74*33*39

Hole puncher

Punchers for PE pipe	No.	Dia.(mm)	Packing(pcs/ctn)	Punchers for layflat hose	No.	Dia.(mm)	Packing(pcs/ctn)
----------------------	-----	----------	------------------	---------------------------	-----	----------	------------------

	3021701A	3&4	3000
--	----------	-----	------

	3021701A	17	3000
--	----------	----	------

	1400401A	4	500
	1400401B	8	500

	1401601A	16	100
--	----------	----	-----

	1401402T	14	200
	1401602T	16	200
	1402002T	20	200

	1402001A	20	100
	1402501A	25	100

	1400301A	3	150
--	----------	---	-----


	1403201A	32	70
	1404001A	40	60

PP COMPRESSION FITTINGS&PVC VALVES

PP compression fittings realize pipeline connection and diversion, PVC valves control water flow on-off. both of them work by matching, features corrosion resistance and excellent sealing performance, widely applied in agricultural irrigation, greenhouses, orchards, vegetable sheds and other scenarios.



PP COMPRESSION FITTINGS




Female compression ball valve

No.	Interface size(mm)	Packing(pcs/carton)	Carton size(cm)
1504018	20*1/2"	200	50*35*30
1505018	25*3/4"	120	50*35*30
1506318	32*1"	80	50*35*30
1507518	40*1 1/4"	60	50*35*30
1509018	50*1 1/2"	36	50*35*30
1511018	63*2"	19	50*35*30

Compact PP valve

Lock male thread valve for tape

No.	Interface size(mm)	Packing(pcs/carton)	Carton size(cm)
1502015	20	144	50*35*30
1502515	25	85	50*35*30
1503215	32	56	50*35*30
1504015	40	34	50*35*30
1505015	50	22	50*35*30
1506315	63	12	50*35*30
1507515	75	8	50*35*30
1509015	90	6	50*35*35
1511015	110	4	50*35*35




Male compact PP valve

No.	Interface size(mm)	Packing(pcs/carton)	Carton size(cm)
1502016	20	180	50*35*30
1502516	25	120	50*35*30
1503216	32	80	50*35*30

Female compact PP valve

No.	Interface size(mm)	Packing(pcs/carton)	Carton size(cm)
1502017	20	180	50*35*30
1502517	25	120	50*35*30
1503217	32	80	50*35*30



PP COMPRESSION FITTINGS

Tee



No. Interface size(mm) Packing(pcs/ctn) Carton size(cm)

1502021	Φ20	150	50*35*35
1502521	Φ25	84	50*35*35
1503221	Φ32	56	50*35*35
1504021	Φ40	26	50*35*30
1505021	Φ50	20	50*35*35
1506321	Φ63	9	50*35*35
1507521	Φ75	7	50*35*30
1509021	Φ90	4	50*35*35
1511021	Φ110	5	53*51*44

End cap



No. Interface size(mm) Packing(pcs/ctn) Carton size(cm)

1502024	Φ20	360	50*35*35
1502524	Φ25	240	50*35*35
1503224	Φ32	150	50*35*35
1504024	Φ40	90	50*35*30
1505024	Φ50	60	50*35*35
1506324	Φ63	24	50*35*30
1507524	Φ70	22	50*35*30
1509024	Φ90	14	50*35*30
1511024	Φ110	10	50*35*35

PP tool



No. Interface size(mm) Packing(pcs/ctn) Carton size(cm)

1506334	Φ20-63	45	40*30*29
1511034	Φ63-110	36	50*30*29

Reducing tee



No. Interface size(mm) Packing(pcs/ctn) Carton size(cm)

1502523	Φ25*20*25	95	50*35*35
1503223A	Φ32*20*32	56	50*35*35
1503223B	Φ32*25*32	56	50*35*35
1504023A	Φ40*25*40	30	50*35*30
1504023B	Φ40*32*40	30	50*35*30
1505023A	Φ50*25*50	20	50*35*35
1505023B	Φ50*32*50	20	50*35*35
1505023C	Φ50*40*50	20	50*35*35
1506323A	Φ63*32*63	9	50*35*35
1506323B	Φ63*40*63	9	50*35*35
1506323C	Φ63*50*63	9	50*35*35
1507523A	Φ70*50*75	7	50*35*30
1507523B	Φ75*63*75	7	50*35*30
1509023A	Φ90*63*90	4	50*35*30
1509023B	Φ90*75*90	4	50*35*30
1511023	Φ110*90*110	5	50*51*44



PP COMPRESSION FITTINGS

Female tee/Reinforcing ring



No. Interface size(mm) Packing(pcs/ctn) Carton size(cm)

15020 32A/33A	Φ20*1/2"	173	50*35*35
15020 32B/33B	Φ25*3/4"	173	50*35*35
15025 32A/33A	Φ25*1/2"	108	50*35*35
15025 32B/33B	Φ25*3/4"	108	50*35*35
15025 32C/33C	Φ25*1"	108	50*35*35
15032 32A/33A	Φ32*1/2"	78	50*35*35
15032 32B/33B	Φ32*3/4"	78	50*35*35
15032 32C/33C	Φ32*1"	68	50*35*35
15040 32A/33A	Φ40*1"	36	50*35*35
15040 32B/33B	Φ40*1-1/4"	36	50*35*35
15040 32C/33C	Φ40*1-1/2"	36	50*35*35
15050 32A/33A	Φ50*1-1/4"	20	50*35*30
15050 32B/33B	Φ50*1-1/2"	20	50*35*30
15050 32C/33C	Φ50*2"	20	50*35*35
15063 32A/33A	Φ63*1-1/4"	12	50*35*35
15063 32B/33B	Φ63*1-1/2"	12	50*35*35
15063 32C/33C	Φ63*2"	12	50*35*35
15063 32D	Φ63*2-1/2"	12	50*35*35
15075 32/33	Φ75*2-1/2"	9	50*35*35
15090 32/33	Φ90*3"	5	50*35*35
15110 32/33	Φ110*4"	4	49*35*48

Male tee



No. Interface size(mm) Packing(pcs/ctn) Carton size(cm)

1502031A	Φ20*1/2"	195	50*35*35
1502031B	Φ25*3/4"	195	50*35*35
1502531A	Φ25*1/2"	130	50*35*35
1502531B	Φ25*3/4"	120	50*35*35
1502531C	Φ25*1"	130	50*35*35
1503231A	Φ32*1/2"	80	50*35*35
1503231B	Φ32*3/4"	80	50*35*35
1503231C	Φ32*1"	80	50*35*35
1503231D	Φ32*1-1/4"	56	50*35*35
1504031A	Φ40*1"	42	50*35*35
1504031B	Φ40*1-1/4"	42	50*35*35
1504031C	Φ40*1-1/2"	42	50*35*35
1505031A	Φ50*1-1/4"	25	50*35*35
1505031B	Φ50*1-1/2"	25	50*35*35
1505031C	Φ50*2"	25	50*35*35
1506331A	Φ63*1-1/4"	12	50*35*30
1506331B	Φ63*1-1/2"	12	50*35*30
1506331C	Φ63*2"	12	50*35*30
1506331D	Φ63*2-1/2"	12	50*35*30
1507531	Φ75*2-1/2"	10	50*35*35
1509031	Φ90*3"	4	50*35*35
1511031	Φ110*4"	5	50*35*35

PP COMPRESSION FITTINGS

Coupling



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502019	Φ20	246	50*35*35
1502519	Φ25	156	50*35*35
1503219	Φ32	105	50*35*35
1504019	Φ40	56	50*35*35
1505019	Φ50	29	50*35*30
1506319	Φ63	18	50*35*35
1507519	Φ75	12	50*35*30
1509019	Φ90	7	50*35*30
1511019	Φ110	6	50*35*36

Reducing coupling



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502522	Φ25*20	160	50*35*35
1503222A	Φ32*20	118	50*35*35
1503222B	Φ32*25	118	50*35*35
1504022A	Φ40*25	68	50*35*35
1504022B	Φ40*32	68	50*35*35
1505022A	Φ50*25	48	50*35*35
1505022B	Φ50*32	32	50*35*30
1502522	Φ25*20	160	50*35*35
1503222A	Φ32*20	118	50*35*35
1503222B	Φ32*25	118	50*35*35
1504022A	Φ40*25	68	50*35*35
1504022B	Φ40*32	68	50*35*35
1505022A	Φ50*25	48	50*35*35
1505022B	Φ50*32	32	50*35*30
1505022C	Φ50*40	29	50*35*30
1506322A	Φ63*32	27	50*35*35
1506322B	Φ63*40	20	50*35*35
1506322C	Φ63*50	20	50*35*35
1507522A	Φ75*50	12	50*35*30
1507522B	Φ75*63	12	50*35*30
1509022A	Φ90*63	8	50*35*30
1509022B	Φ90*75	8	50*35*30
1511022A	Φ110*75	6	50*35*35
1511022B	Φ110*90	6	50*35*35

Female coupling/reinforce ring



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
150202 6/7	Φ20*1/2"	400	50*35*35
150252 6/7	Φ25*3/4"	220	50*35*35
150322 6/7	Φ32*1"	156	50*35*35
150402 6/7	Φ40*1-1/4"	90	50*35*35
150502 6/7	Φ50*1-1/2"	56	50*35*35
150632 6/7	Φ63*2"	30	50*35*35
150752 6/7	Φ75*2-1/2"	22	50*35*35
150902 6/7	Φ90*3"	13	50*35*35
151102 6/7	Φ110*4"	8	50*35*35

Male coupling



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502525A	Φ25*3/4"	242	50*35*35
1502525B	Φ25*1/2"	242	50*35*35
1502525C	Φ25*1"	242	50*35*35
1503225A	Φ32*3/4"	180	50*35*35
1503225B	Φ32*1"	168	50*35*35
1503225C	Φ32*1-1/4"	156	50*35*35
1504025A	Φ40*1"	100	50*35*35
1504025B	Φ40*1-1/4"	88	50*35*35
1504025C	Φ40*1-1/2"	84	50*35*35
1505025A	Φ50*1"	56	50*35*35
1505025B	Φ50*1-1/4"	56	50*35*35
1505025C	Φ50*1-1/2"	56	50*35*35
1505025D	Φ50*2"	56	50*35*35
1506325A	Φ63*1-1/4"	36	50*35*35
1506325B	Φ63*1-1/2"	36	50*35*35
1506325C	Φ63*2"	36	50*35*35
1506325D	Φ63*2-1/2"	36	50*35*35
1507525	Φ75*2-1/2"	22	50*35*35
1509025	Φ90*3"	14	50*35*35
1511025	Φ110*4"	8	50*35*35

PP COMPRESSION FITTINGS

Elbow



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502020	Φ20	224	50*35*35
1502520	Φ25	120	50*35*35
1503220	Φ32	84	50*35*35
1504020	Φ40	46	50*35*35
1505020	Φ50	28	50*35*35
1506320	Φ63	15	50*35*35
1507520	Φ75	12	50*35*35
1509020	Φ90	6	50*35*35
1511020	Φ110	4	50*35*35

Male elbow/reinforce ring



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
15020 29A/30A	Φ20*1/2"	320	50*35*35
15020 29B/30B	Φ20*3/4"	280	50*35*35
15025 29A/30A	Φ25*1/2"	192	50*35*35
15025 29B/30B	Φ25*3/4"	180	50*35*35
15025 29C/30C	Φ25*1"	180	50*35*35
15032 29A/30A	Φ32*1/2"	156	50*35*35
15032 29B/30B	Φ32*3/4"	144	50*35*35
15032 29C/30C	Φ32*1"	132	50*35*35
15032 29D/30D	Φ32*1-1/4"	120	50*35*35
15040 29A/30A	Φ40*1"	70	50*35*35
15040 29B/30B	Φ40*1-1/4"	70	50*35*35
15040 29C/30C	Φ40*1-1/2"	70	50*35*35
15050 29A/30A	Φ50*1-1/4"	30	50*35*30
15050 29B/30B	Φ50*1-1/2"	30	50*35*30
15050 29C/30C	Φ50*2"	30	50*35*30
15063 29A/30A	Φ63*1-1/4"	18	50*35*30
15063 29B/30B	Φ63*1-1/2"	18	50*35*30
15063 29C/30C	Φ63*2"	18	50*35*30
15063 29D/30D	Φ63*2-1/2"	16	50*35*30
15075 29/30	Φ75*2-1/2"	12	50*35*35
15090 29/30	Φ90*3"	8	50*35*35
15110 29/30	Φ110*4"	5	50*35*30

Flange joint



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1504039	40*11/2"	24	48*38*38
1505039	50*1-1/2"	22	48*38*38
1505039A	50*2"	22	48*38*38
1506339A	63*2"	15	48*38*38
1506339B	63*2-1/2"	15	48*38*38
1507539A	75*2-1/2"	10	48*38*38
1507539B	75*3"	10	48*38*38
1509039A	90*3"	10	48*38*38
1509039B	90*4"	8	48*38*38

Female elbow



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502028A	Φ20*1/2"	320	50*35*35
1502028B	Φ20*3/4"	280	50*35*35
1502528A	Φ25*1/2"	192	50*35*35
1502528B	Φ25*3/4"	180	50*35*35
1502528C	Φ25*1"	180	50*35*35
1503228A	Φ32*1/2"	156	50*35*35
1503228B	Φ32*3/4"	144	50*35*35
1503228C	Φ32*1"	144	50*35*35
1504028A	Φ40*1"	70	50*35*35
1504028B	Φ40*1-1/4"	70	50*35*35
1504028C	Φ40*1-1/2"	70	50*35*35
1505028A	Φ50*1-1/4"	30	50*35*30
1505028B	Φ50*1-1/2"	30	50*35*30
1505028C	Φ50*2"	30	50*35*30
1506328A	Φ63*1-1/4"	18	50*35*30
1506328B	Φ63*1-1/2"	18	50*35*30
1506328C	Φ63*2"	18	50*35*30
1506328D	Φ63*2-1/2"	16	50*35*30
1507528	Φ75*2-1/2"	12	50*35*30
1509028	Φ90*3"	8	50*35*35
1511028	Φ110*4"	5	50*35*30

PP COMPRESSION FITTINGS

Hose fittings

Saddle clamp



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
1503235A	Φ32*1/2"	220	50*35*30
1503235B	Φ32*3/4"	220	50*35*30
1503235C	Φ32*1"	220	50*35*30
1504035A	Φ40*1/2"	180	50*35*30
1504035B	Φ40*3/4"	180	50*35*30
1504035C	Φ40*1"	180	50*35*30
1505035A	Φ50*1/2"	120	50*35*30
1505035B	Φ50*3/4"	120	50*35*30
1505035C	Φ50*1"	120	50*35*30
1506335A	Φ63*1/2"	90	50*35*30
1506335B	Φ63*3/4"	90	50*35*30
1506335C	Φ63*1"	90	50*35*30
1507535A	Φ75*1/2"	70	50*35*35
1507535B	Φ75*3/4"	70	50*35*35
1507535C	Φ75*1"	70	50*35*35
1507535D	Φ75*1-1/4"	55	50*35*35
1507535E	Φ75*1-1/2"	55	50*35*35
1507535F	Φ75*2"	55	50*35*35
1509035A	Φ90*1/2"	60	50*35*35
1509035B	Φ90*3/4"	60	50*35*35
1509035C	Φ90*1"	60	50*35*35
1509035D	Φ90*1-1/4"	52	50*35*35
1509035E	Φ90*1-1/2"	52	50*35*35
1509035F	Φ90*2"	48	50*35*35
1511035A	Φ110*1/2"	42	50*35*35
1511035B	Φ110*3/4"	42	50*35*35
1511035C	Φ110*1"	42	50*35*35
1511035D	Φ110*1-1/4"	42	50*35*35
1511035E	Φ110*1-1/2"	36	50*35*35
1511035F	Φ110*2"	36	50*35*35

Double saddle clamp



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
1503236A	Φ32*1/2"	210	50*35*35
1503236B	Φ32*3/4"	210	50*35*35
1503236C	Φ32*1"	210	50*35*35
1504036A	Φ40*1/2"	180	50*35*35
1504036B	Φ40*3/4"	180	50*35*35
1504036C	Φ40*1"	180	50*35*35
1505036A	Φ50*1/2"	115	50*35*35
1505036B	Φ50*3/4"	115	50*35*35
1505036C	Φ50*1"	115	50*35*35
1506336A	Φ63*1/2"	80	50*35*35
1506336B	Φ63*3/4"	80	50*35*35
1506336C	Φ63*1"	80	50*35*35
1507536A	Φ75*1/2"	55	50*35*35
1507536B	Φ75*3/4"	55	50*35*35
1507536C	Φ75*1"	55	50*35*35
1507536D	Φ75*1-1/4"	40	50*35*35
1507536E	Φ75*1-1/2"	40	50*35*35
1507536F	Φ75*2"	40	50*35*35
1509036A	Φ90*1/2"	60	50*35*35
1509036B	Φ90*3/4"	60	50*35*35
1509036C	Φ90*1"	60	50*35*35
1509036D	Φ90*1-1/4"	40	50*35*35
1509036E	Φ90*1-1/2"	40	50*35*35
1509036F	Φ90*2"	40	50*35*35
1511036A	Φ110*1/2"	42	50*35*35
1511036B	Φ110*3/4"	42	50*35*35
1511036C	Φ110*1"	36	50*35*35
1511036D	Φ110*1-1/4"	36	50*35*35
1511036E	Φ110*1-1/2"	30	50*35*35
1511036F	Φ110*2"	30	50*35*35

PP COMPRESSION FITTINGS

Saddle clamp
(Reinforcing ring)



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
1503237A	Φ32*1/2"	220	50*35*30
1503237B	Φ32*3/4"	220	50*35*30
1503237C	Φ32*1"	220	50*35*30
1504037A	Φ40*1/2"	180	50*35*30
1504037B	Φ40*3/4"	180	50*35*30
1504037C	Φ40*1"	180	50*35*30
1505037A	Φ50*1/2"	120	50*35*30
1505037B	Φ50*3/4"	120	50*35*30
1505037C	Φ50*1"	120	50*35*30
1506337A	Φ63*1/2"	90	50*35*30
1506337B	Φ63*3/4"	90	50*35*30
1506337C	Φ63*1"	90	50*35*30
1507537A	Φ75*1/2"	70	50*35*35
1507537B	Φ75*3/4"	70	50*35*35
1507537C	Φ75*1"	70	50*35*35
1507537D	Φ75*1-1/4"	55	50*35*35
1507537E	Φ75*1-1/2"	55	50*35*35
1507537F	Φ75*2"	55	50*35*35
1509037A	Φ90*1/2"	60	50*35*30
1509037B	Φ90*3/4"	60	50*35*30
1509037C	Φ90*1"	60	50*35*30
1509037D	Φ90*1-1/4"	60	50*35*30
1509037E	Φ90*1-1/2"	60	50*35*30
1509037F	Φ90*2"	60	50*35*30
1511037A	Φ110*1/2"	50	50*35*30
1511037B	Φ110*3/4"	50	50*35*30
1511037C	Φ110*1"	50	50*35*30
1511037D	Φ110*1-1/4"	50	50*35*30
1511037E	Φ110*1-1/2"	50	50*35*30
1511037F	Φ110*2"	50	50*35*30

Double saddle clamp
(Reinforcing ring)



No.	Dia.(mm)	Packing(pcs/ctn)	Carton size(cm)
1503238A	Φ32*1/2"	210	50*35*35
1503238B	Φ32*3/4"	210	50*35*35
1503238C	Φ32*1"	210	50*35*35
1504038A	Φ40*1/2"	180	50*35*35
1504038B	Φ40*3/4"	180	50*35*35
1504038C	Φ40*1"	180	50*35*35
1505038A	Φ50*1/2"	115	50*35*35
1505038B	Φ50*3/4"	115	50*35*35
1505038C	Φ50*1"	115	50*35*35
1506338A	Φ63*1/2"	80	50*35*35
1506338B	Φ63*3/4"	80	50*35*35
1506338C	Φ63*1"	80	50*35*35
1507538A	Φ75*1/2"	55	50*35*35
1507538B	Φ75*3/4"	55	50*35*35
1507538C	Φ75*1"	55	50*35*35
1507538D	Φ75*1-1/4"	40	50*35*35
1507538E	Φ75*1-1/2"	40	50*35*35
1507538F	Φ75*2"	40	50*35*35
1509038A	Φ90*1/2"	45	50*35*35
1509038B	Φ90*3/4"	45	50*35*35
1509038C	Φ90*1"	45	50*35*35
1509038D	Φ90*1-1/4"	40	50*35*35
1509038E	Φ90*1-1/2"	40	50*35*35
1509038F	Φ90*2"	40	50*35*35
1511038A	Φ110*1/2"	35	50*35*35
1511038B	Φ110*3/4"	35	50*35*35
1511038C	Φ110*1"	35	50*35*35
1511038D	Φ110*1-1/4"	30	50*35*35
1511038E	Φ110*1-1/2"	30	50*35*35
1511038F	Φ110*2"	30	50*35*35

PVC VALVES

PVC ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502002	Φ1/2"	280	50*35*30
1502502	Φ3/4"	192	50*35*30
1503202	Φ1"	108	50*35*30
1504002	Φ1-1/4"	80	50*35*30
1505002	Φ1-1/2"	56	50*35*30
1506302	Φ2"	32	50*35*30
1507502	Φ2-1/2"	22	50*35*36
1509002	Φ3"	8	50*35*30
1511002	Φ4"	6	50*35*30

Octagonal ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502003	Φ1/2"	280	50*35*30
1502503	Φ3/4"	192	50*35*30
1503203	Φ1"	108	50*35*30
1504003	Φ1-1/4"	80	50*35*30
1505003	Φ1-1/2"	56	50*35*30
1506303	Φ2"	32	50*35*30
1507503	Φ2-1/2"	22	50*35*36
1509003	Φ3"	8	50*35*30
1511003	Φ4"	6	50*35*30

MxF/FxF Union ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
15020 12/13	Φ1/2"	120	50*35*30
15025 12/13	Φ3/4"	88	50*35*30
15032 12/13	Φ1"	64	50*35*30
15040 12/13	Φ1-1/4"	32	50*35*30
15050 12/13	Φ1-1/2"	32	50*35*30
15063 12/13	Φ2"	20	50*35*30
15075 12/13	Φ2-1/2"	8	58*35*22
15090 12/13	Φ3"	6	50*35*26
15110 12/13	Φ4"	4	42*46*30

MxF Octagonal ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502005	Φ1/2"	280	50*35*30
1502505	Φ3/4"	192	50*35*30
1503205	Φ1"	108	50*35*30
1504005	Φ1-1/4"	80	50*35*30
1505005	Φ1-1/2"	56	50*35*30
1506305	Φ2"	32	50*35*30
1507505	Φ2-1/2"	22	50*35*35
1509005	Φ3"	8	50*35*30
1511005	Φ4"	6	50*35*30

PVC ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502004	Φ1/2"	204	50*35*35
1502504	Φ3/4"	126	50*35*30
1503204	Φ1"	90	50*35*35
1504004	Φ1-1/4"	54	50*35*30
1505004	Φ1-1/2"	40	50*35*30
1506304	Φ2"	20	50*35*30

Union



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502014	Φ1/2"	270	49*34*29
1502514	Φ3/4"	200	49*34*29
1503214	Φ1"	120	49*34*29
1504014	Φ1-1/4"	112	49*34*29
1505014	Φ1-1/2"	60	49*34*29
1506314	Φ2"	40	49*34*29
1507514	Φ2-1/2"	18	43*30*35
1509014	Φ3"	12	50*34*27
1511014	Φ4"	8	42*42*32

PVC VALVES

True union ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502008	Φ1/2"	120	50*35*30
1502508	Φ3/4"	80	50*35*30
1503208	Φ1"	48	50*35*30
1504008	Φ1-1/4"	36	50*35*30
1505008	Φ1-1/2"	24	50*35*30
1506308	Φ2"	24	55*37*37
1507508	Φ2-1/2"	8	58*34*25
1509008	Φ3"	6	58*34*27
1511008	Φ4"	4	49*42*30

Single union ball valve



No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502009	Φ1/2"	120	50*35*30
1502509	Φ3/4"	88	50*35*30
1503209	Φ1"	64	50*35*30
1504009	Φ1-1/4"	32	50*35*30
1505009	Φ1-1/2"	28	50*35*30
1506309	Φ2"	20	50*35*30
1507509	Φ2-1/2"	8	58*35*22
1509009	Φ3"	6	50*35*26
1511009	Φ4"	4	43*46*30

Two pieces ball valve
(Plastic handle)

No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502010	Φ1/2"	240	49*34*29
1502510	Φ3/4"	120	49*34*29
1503210	Φ1"	96	49*34*29
1504010	Φ1-1/4"	60	49*34*29
1505010	Φ1-1/2"	48	49*34*29
1506310	Φ2"	24	49*34*29
1507510	Φ2-1/2"	16	50*27*38
1509010	Φ3"	12	50*35*42
1511010	Φ4"	6	56*55*28

Two pieces ball valve
(Steel handle)

No.	Interface size(mm)	Packing(pcs/ctn)	Carton size(cm)
1502011	Φ1/2"	240	49*34*29
1502511	Φ3/4"	120	49*34*29
1503211	Φ1"	96	49*34*29
1504011	Φ1-1/4"	60	49*34*29
1505011	Φ1-1/2"	48	49*34*29
1506311	Φ2"	24	49*34*29
1507511	Φ2-1/2"	16	50*27*38
1509011	Φ3"	12	44*29*43
1511011	Φ4"	6	53*53*19


UPVC valves



Coupling



Male adapter



Female adapter



Equal tee



Female tee




Female elbow



90 Deg elbow



45 Deg elbow



Reducing ring



End cap

OTHER PRODUCTS FOR AGRICULTURE IRRIGATION

Other supporting irrigation products include seedling trays, filters, air release valves, etc., suitable for various scenarios such as agricultural irrigation, greenhouses and orchards. Our company provides a full range of irrigation products to meet diverse agricultural irrigation demands.

SEEDLING TRAYS

PET seedling tray
(with water permeable holes)



No.	Single Wt(g)	Holes	Packing(pcs/ctn)	Carton size(cm)
7206001	60		400	55*44*29
7207001	70		400	55*44*29
7208001	80		300	55*44*29
7209001	90	21/24/	300	55*44*29
7210001	100	28/32/	300	55*44*29
7211001	110	50/72/	300	55*44*29
7212001	120	98/104/	300	55*44*29
7213001	130	105/128/	250	55*44*29
7214001	140	162/200/	250	55*44*29
7215001	150	288	200	55*44*29

PS seedling tray
(with water permeable holes)



No.	Single Wt(g)	Holes	Packing(pcs/ctn)	Carton size(cm)
7207005	70		300	55*29*35
7208005	80		250	55*29*35
7209005	90		200	55*29*35
7210005	100	21/24/	200	55*29*35
7211005	110	28/32/	200	55*29*35
7212005	120	50/72/	200	55*29*35
7213005	130	98/104/	180	55*29*35
7214005	140	105/128/	180	55*29*35
7215005	150	168/200/	180	55*29*35
		288	150	55*29*35
7214505	145		150	55*29*35
7215005	150		100	55*29*35

PVC seedling tray



No.	Single Wt(g)	Holes	Packing(pcs/ctn)	Carton size(cm)
7210011	100		200	55*29*36
7212011	120	15/21/	200	55*29*36
7213011	130	28/32/	180	55*29*36
7215011	150	50/72/	150	55*29*36
7218011	180	98/105/	100	55*29*36
		128/200		

PP seedling tray



No.	Single Wt(g)	Holes	Packing(pcs/ctn)	Carton size(cm)
7212003	120		200	55*44*29
7213003	130	24/32/	200	55*44*29
7214003	140	50/72/	150	55*44*29
7215003	150	98/105/	150	55*44*29
		128		

PET/PVC/PS flat tray



No.	Single Wt(g)	Packing(pcs/ctn)	Carton size(cm)
7210008	100	150	55*44*29
7211008	110	150	55*44*29
7212008	120	150	55*44*29
7213008	130	150	55*44*29
7214008	140	120	55*44*29
7215009	150	100	55*44*29
7215010A	150	100	55*44*29
7215010B	150	100	55*44*29
7215010C	150	100	55*44*29

PET/PS plug tray



No.	Single Wt(g)	Holes	Packing(pcs/ctn)	Carton size(cm)
7212006	120		150	55*44*29
7213006	130	21/32/	150	55*44*29
7215007	150	50/72	100	55*44*29
7216007	160		100	55*44*29



OTHER PRODUCTS FOR AGRICULTURE IRRIGATION

Filters

T-type disc filter



No.	Interface size	Packing(pcs/ctn)	Carton size(cm)
9005012T	1.5"	1	55*36*30
9006322T	2"	1	75*36*24
9007512T	2.5"	1	75*36*24
9009011T	3"	1	63*36*24
9009021T	3"	1	75*36*24

T-type screen filter



No.	Interface size	Packing(pcs/ctn)	Carton size(cm)
9006313T	2"	6	63*36*24
9006323T	2"	7	75*36*24
9007513T	2.5"	1	75*36*24
9009023T	3"	1	63*36*24
9009033T	3"	1	75*36*24

H-type screen filter



No.	Interface size	Packing(pcs/ctn)	Carton size(cm)
9009014H	3"	1	99*37*23
9011014H	4"	1	

H-type disc filter



No.	Interface size	Packing(pcs/ctn)	Carton size(cm)
9009021H	3"	1	99*37*23
9011021H	4"	1	122*37*23

Y-type disc/Screen filter



No.	Interface size	Packing(pcs/ctn)	Carton size(cm)
90025 01Y/02Y	3/4"	25	52*35*22.5
90032 01Y/02Y	1"	25	52*35*22.5
9005 01Y/02Y	1.5"	6	52*35*22.5
90063 01Y/02Y	2"	6	52*35*22.5
90075 01Y/02Y	2.5"	4	55*36*30

Mesh type self-cleaning filter



No.	Interface size	Packing(pcs/ctn)	Carton size(cm)
9006301T	2"/3"	1	77*35*26

Centrifugation filter



No.	Interface size	Packing(boxes/set)	Carton size(cm)
9006301L	2"	2	44*29*26 81*36*29
9009001L	2"	2	51*37*31 96*41*34
9001101L	2"	2	59*35*37 113*46*51

Manual filter set



No.	Interface size	Packing(boxes/set)	Carton size(cm)
91063001	3"/4"	1	95*75*130
91063002	3"/4"/5"/6"	1	100*75*130
91063003	3"/4"/5"/6"	1	130*75*130

OTHER PRODUCTS FOR AGRICULTURE IRRIGATION

Exhaust Valves

Combined air release valve



No.	Interface size	Connection
1302503 1302504	3/4"	Male thread
1303202 1303205	1"	Male thread
1305001 1305003	1.5"	Male thread
1306301 1306303	2"	Male thread

Air release valve



No.	Interface size	Connection
1302001	1/2"	Male thread
1302502	3/4"	Male thread
1303201	1"	Male thread
1306305	2"	Female thread

Air release valve



No.	Interface size	Connection
1302505/06	3/4"	Male thread
1303206/07	1"	Male thread

Vacuum breaker valve



No.	Interface size	Connection
1306304	2"	Female thread

AUTOMATIC SELF CLEANING FILTERS

The automatic backwash filter supports dual backwash control via time and differential pressure. Each unit can be backwashed sequentially and automatically switched to ensure continuous and stable water output. Featuring a modular design, it can flexibly adapt to various installation spaces, offering simple and quick maintenance without the need for specialized tools, making routine inspections effortless and hassle-free.

